

11-06-00

A

JRM:Imp

EXPRESS MAIL LABEL NO. EL696454205US

Date of Deposit: November 2, 2000

PATENT

Attorney's Ref. No. 60288

11/02/00
Jc949 U.S. PTO

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Box PATENT APPLICATION
TO THE ASSISTANT COMMISSIONER FOR PATENTS
Washington, D.C. 20231

Jc825 U.S. PTO
09/706505
11/02/00

Transmitted herewith for filing is the patent application of:

Inventor(s): Hein et al.

For: BATCH IDENTIFIER REGISTRATION AND EMBEDDING IN MEDIA SIGNALS

Enclosed are:

- ☒ 16 pages of specification, 3 pages of claims, an abstract and a Combined Declaration and Power of Attorney.
- ☒ 2 sheet(s) of drawings.
- ☐ An assignment of the invention to: _____ and a Recordation Cover Sheet.
- ☐ A certified copy of a _____ application.
- ☐ Associate Power of Attorney.
- ☐ Information Disclosure Statement.
- ☐ Form PTO-1449 and copies of documents listed thereon.
- ☐ A copy of a petition for extension of time, which is a separate paper being filed in a prior application.

		FILING FEE				Basic Fee
For	Claims filed	Number Alloted		Number Extra	Rate	\$710.00
Total Claims	17	20	=	0	\$18.00	
Independent Claims	4	3	=	1	\$80.00	\$80.00
TOTAL FILING FEE			=			\$790.00


- ☒ Please return the enclosed postcard to confirm that the items listed above have been received.

Respectfully submitted,

DIGIMARC CORPORATION

Date: November 2, 2000

Digimarc Corporation
19801 SW 72nd Avenue, Suite 250
Tualatin, OR 97062
Phone: 503-885-8699

By 
Joel R. Meyer
Registration No. 37,677

Batch Identifier Registration and Embedding in Media Signals

Related Application Data

The subject matter of the present application is related to that disclosed in US Patent 5,862,260, and in co-pending applications 09/503,881, filed February 14, 2000; and 09/571,422, filed May 15, 2000, which claims priority to US Provisional Application No. 60/134,782, filed May 19, 1999. The above patent and patent applications are hereby incorporated by reference.

Technical Field

The invention relates to multimedia signal processing, and in particular relates to encoding information into media signals.

Background and Summary

Digital watermarking is a process for modifying physical or electronic media to embed a machine-readable code into the media. The media may be modified such that the embedded code is imperceptible or nearly imperceptible to the user, yet may be detected through an automated detection process. Most commonly, digital watermarking is applied to media signals such as images, audio signals, and video signals. However, it may also be applied to other types of media objects, including documents (e.g., through line, word or character shifting), software, multi-dimensional graphics models, and surface textures of objects.

Digital watermarking systems typically have two primary components: an encoder that embeds the watermark in a host media signal, and a decoder that detects and reads the embedded watermark from a signal suspected of containing a watermark (a suspect signal). The encoder embeds a watermark by altering the host media signal. The reading component analyzes a suspect signal to detect whether a watermark is present. In

applications where the watermark encodes information, the reader extracts this information from the detected watermark.

Several particular watermarking techniques have been developed. The reader is presumed to be familiar with the literature in this field. Particular techniques for embedding and detecting imperceptible watermarks in media signals are detailed in the assignee's co-pending application serial number 09/503,881 and US Patent 5,862,260, which are hereby incorporated by reference.

Some applications require that a vast number of media signals (e.g., images, video or audio files) each be encoded with unique watermark identifiers. Examples of applications include embedding an identifier in media signals to link them to a network resource for metadata linking (e.g., linking content to a unique web site), for forensic tracking of digitally distributed content, for broadcast monitoring, etc. In such applications, there may be several customers, each requiring large batches of identifiers (IDs). As such, there is a need for an accurate and efficient way of assigning IDs.

Such applications can also create a bottleneck in the content creation and distribution workflow due to the processing resources and time needed to embed unique identifiers into many media signals. There is a need, therefore, for automated processes for facilitating batch embedding of identifiers into media content.

The invention provides methods and systems for batch identifier registration and embedding into media content. While particularly adapted to digital watermark embedding, these methods and systems may be applicable to other forms of encoding identifiers and other metadata in large batches of media files.

Further features will become apparent with reference to the following detailed description and accompanying drawings.

Brief Description of the Drawings

Fig. 1 is a system diagram of a batch identifier registration and watermark embedding system.

Fig. 2 is a system diagram showing how the user authentication process employed in Fig. 1 can be enhanced using watermarked identity cards.

Detailed Description

Fig. 1 is a system diagram of a batch identifier registration and watermark embedding system. In this system, a batch identifier registration system enables a user to submit a request for a batch of unique identifiers to be embedded in media signals. The user submits a request for a batch of IDs. The batch registration system verifies the accuracy of the request, sends a confirmation, allocates IDs, creates corresponding entries in a registration database, and creates embedder files used in a batch embedding process. The user may then submit a request for embedder files. To perform automated batch embedding, a watermark embedder takes the embedder files and corresponding list of media signal files as input and automatically embeds identifiers supplied in the embedder files into corresponding media signal files. The media signal files may be files including audio, video or still image signals to be embedded with a watermark. A more detailed description follows with reference to Fig. 1.

The process begins when the party wishing to embed multiple watermarks into multiple objects logs on to the batch registration web site 104 using client software executing on a computer (102, 112) connected to the Internet. This client may include, but is not limited to, the embedder computer 102, which provides a means for connecting to the Internet and initiating the log on to the batch registration web site from within the embedder 100 software, or other client software, such as an Internet browser, from another computer 112. Both methods provide the user with a user interface and a template that can be completed to create a valid batch registration request file.

This batch registration file includes either a request to reserve a specific number of watermark identifiers for later embedding or specific information, including a description of the behavior to be associated with the identifiers. One example of the behavior is linking a watermark decoding device to a web site or other network resource associated with a watermark identifier. In this case, the behavior description may include a network address (e.g., IP address, URL of a web site, etc.).

Another example of a behavior is returning related information to the decoding computer, such as a document (HTML document), software program, streaming or file

downloading of audio, video, or images. In this case, the behavior description may include the information to be returned, or a reference to the information to be returned, along with instructions for controlling the transfer of the information to the decoding computer. The behavior may also specify that the related information is to be transferred to some device other than the device that decodes the watermark identifier.

Another example of a behavior is launching an email program to send an email to a specified recipient. In this case, the behavior description may include an email address of the intended recipient of the email. The email software presents a user interface to the user of the decoding computer showing an email editing window with an email message including the recipient's email address. This email software may execute on a server and present a web interface to the client, or may run on the client in response to an instruction from the database that maps the identifier to the behavior.

If the batch registration file is being submitted to reserve watermark identifiers only, a subsequent batch registration file with the behavior description, including a behavior and assigned watermark identifier, is submitted to enable the system to associate the behavior with the identifier. In place of the subsequent batch registration file, the user may log into the existing watermark registration website and add the required behavior information, one watermark ID at a time.

The registration system places the identifiers and corresponding behavior descriptions in a database. To initiate a behavior associated with a watermark identifier, a watermark decoding device extracts the identifier from a watermarked media object, sends it to the database. In turn, the database looks up the corresponding behavior description and initiates the behavior or behaviors associated with the identifier. This may include, for example, returning a network address for web linking to the watermark decoding device or a web server. In the former case, the decoding device uses the address to establish a connection with the resource at the address and fetch information or launch a program (such as downloading a media object) at that specified address. In the latter case, the web server forwards information, such as an HTML document, streaming media, etc. to the decoding device.

The user enters his username and password via a web-based user interface displayed on the PC 102 (or 112) and submits them to the web site for authentication.

The user provides the information required to locate the file on the user's computer for upload.

The batch registration loader 106 performs a quick scan of the uploaded batch registration request file and reports back to the user any errors in format that it detects. If there are errors, the file is not processed. The loader adds the behavior description and corresponding identifier to a registration database used to process queries from watermark decoding devices.

The user may now either submit a new batch registration request file or logoff of the batch registration web site 104.

The batch registration loader 106 uses the information contained in the user's uploaded batch registration request file to automatically allocate (register) watermark identifiers in a registration database 108. The identifiers are in the form of unique serial numbers. Once this process is completed, the batch registration loader 106 initiates a request to the batch registration extractor 110 for these new registration entries.

Upon receipt of a request, the batch registration extractor 110 accesses the registration database 108 and creates one or more embedder control file(s) for each of these new registered watermark serial numbers. The embedder control file includes a watermark serial number, name of the file to be embedded, and embedder control instructions. In one implementation, there is a separate embedder control file for each corresponding media signal file to be embedded with a watermark. In an alternative implementation, there is a single file per batch embedding process. This file includes a watermark serial number for each media signal file to be embedded in the batch process, an identifier of the corresponding media signal files, and instructions for embedding the serial numbers into the corresponding media signal files.

Upon completion of this process, the batch registration extractor process sends the embedder control file(s) back to the user via Internet e-mail. Optionally the embedder control file(s) may remain on the batch registration extractor system and will be downloaded to the user, at their discretion, by logging back into the batch registration web site and requesting a manual download of these files.

Once the user/embedder has received the embedder control file(s), it uses these file(s), along with the host media signal file(s) and a set of embedding instructions to the embedder software 100 to instruct the embedder software to automatically embed the list of watermark serial numbers included in the embedder control file(s) into the listed media signal files, producing a set of watermark-embedded media signal files.

As alternative to embedding on the user's computer, the batch registration system may supply the embedder control files to a different, perhaps Internet server-based embedder computer. One advantage of this approach is to perform embedding of large batches on a more powerful computer or array of computers. In particular, a computer with multiple processors or an array of computers can embed watermark messages into corresponding media signal files in parallel processes. For large media signal files, or files that will be embedded with multiple, and potentially different watermark messages, parallel embedding processes can embed these watermark messages into different parts of a media signal a single file in parallel. For example, a still image typically is divided into

contiguous blocks of pixels, each carrying a watermark message. Similarly, temporal or spatial regions of a sequence of video frames can be subdivided and embedded with the same or different watermark messages. In video, for instance, one sequence of frames may be linked to a first web site relating to the content in that sequence, while another
5 sequence may be linked to a second web site relating to the content in that sequence. A similar approach may be applied to segments of a music file, or different music tracks in a file having the songs of a particular CD.

Of course, if the user/device supplying the media signal files for embedding and the embedder computer are in separate locations, the system needs to facilitate the
10 transfer of media signal files from the user's device to the embedder computer and then back to the desired location, such as a content distributor, printer, publisher, CD or DVD manufacturing facility, streaming media server system, etc. The files may be transferred using Internet communication protocols like FTP. In addition, the embedder computer can be implemented within the same site of the registration computer system. The
15 registration system computer may provide an address or pointer of the embedder control files and media signal files to the embedder computer, enabling it to fetch both and perform embedding operations on the media signals as specified in the embedder control files.

The embedder software 100 may be adapted for different media signal types. As
20 noted, particular techniques for embedding and detecting imperceptible watermarks in media signals are detailed in the assignee's co-pending application serial number 09/503,881 and US Patent 5,862,260. Alternative watermark embedding technologies may be used as well. In an implementation for still images, the watermark message is repeatedly embedded in contiguous blocks of pixels of the still image. For print media
25 applications, the watermark survives transformations associated with printing the watermarked image and later scanning the image as part of the process of capturing a digital image from which the watermark identifier is extracted.

In an implementation for audio signals, such as music files, the watermark message is repeatedly embedded in contiguous segments of the audio signal. The

watermark is designed to survive transformations typical in the application, such as broadcast transformations, compression, digital to analog and analog to digital conversion, streaming delivery over a computer network, etc.

In an implementation for video signals, such as movie files, the watermark message is repeatedly embedded in temporal and spatial regions of the video signal. The watermark is designed to survive transformations typical in the application, such as broadcast transformations, compression, digital to analog and analog to digital conversion, streaming delivery over a computer network, etc.

In each case, the watermark message comprises a serial number and possibly additional information such as copy or rendering control commands, content type flags (like content rating flags for adult content), error detection codes, calibration or synchronization codes, etc. While the batch embedding application described above encodes serial numbers used to link the content with machine behaviors like web site linking, the system may be used to encode a variety of message information, including copy control information, alteration detection information used to detect signal alteration. In addition, the watermark message embedded throughout a media signal file may vary from one region or block of the file to the next.

In still images, audio and video, the embedder control file indicates the message or messages to be embedded. The embedder control file may also specify where to put each message, such as which pixel blocks for still images, which pixel blocks and frames for video, and which audio segments for an audio signal. In temporal signal content, like audio or video, the embedder control file acts as an Edit Decision List (EDL), which specifies the message and the time stamp indicating the start and end of the signal segment where the message is to be embedded. The EDL may also include the behavior to be associated with each message, such as a URL for linking a web site at the URL to a particular piece of content, HTML content with additional links that give the user of the watermark decoder the option to select a behavior to be activated at the time of watermark decoding, etc.

Authentication of Users of the Registration Database

The ID registration process described above implements user authentication through the use of a username/password log in scheme and augments that security through the use of "roles". "Roles" come into play to limit the ability of a subordinate organization, such as an Ad Agency or web site design firm, from accessing and/or updating watermark registration information input by a superior organization (in this example, the content publisher). For watermark enabled printed advertisements, a typical hierarchy of the "roles" would be – customer then Agency then pre-press.

As an additional measure, the registration system maintains an audit trail of each set of watermark information from creation through update to deletion.

The use of watermarked identity cards further enhances the security of the authentication process. Fig. 2 is a system diagram showing how the registration process can be enhanced using watermarked identity cards. In one authentication scheme, the controlling authority for the registration database issues identity cards to authorized users. The identity cards have a unique watermark embedded within an image on each card. In this scheme, the user uses this card to access the registration system (e.g., the registration web site 104) by using a watermark decoder 120 connected to an image capture device. In the system shown in Fig. 2, the watermark decoder is implemented in a software application program executing in the user's computer. This application program extracts watermark messages from image frames captured of watermarked images by a PC Camera 122 or other image capture device coupled to the computer via a wire or wireless connection (e.g., firewire, USB, Bluetooth, etc.).

When prompted for a username by the web site, the user shows the card 124 to the PC camera to "read" that watermark, carrying a message identifying attributes of the user (e.g., company name, etc.) attempting to log in. The watermark decoder 120 reads image frames from the PC camera 122, extracts the watermark message embedded in the frames and forwards it to the registration web site 104 via an Internet connection. For corporate users, a corporate-wide password may be used to keep the administration of the passwords as unobtrusive as possible.

While the card allows the user to log in as representing their company (and therefore is granted the "role" and rights of that company while accessing the registration functions), the registration system 104 tracks their log in and actions on an individual basis (the cards are all unique). This scheme requires users to present a valid "identity" card to an image capture device and enter a matching, valid corporate password to access the system.

A variant of the first scheme is to modify the registration log at the registration web site to use information directly in the registration database to authenticate the user. One such variant is described below:

1. The user shows the "identity" card 124 to the camera 122 using the watermark decoder program 120, which displays a window on the computer's monitor showing the image frames captured by the camera;
2. The watermark decoder program 120 links the user to the registration web site 104. In particular, the watermark on the identity card carries a watermark message including a URL or reference to a network address in a database. In the former case, the watermark decoder uses the URL to establish a connection with the registration web site 104. The decoder may pass the URL to an Internet browser to establish the connection or may establish the connection itself. In the latter case, the watermark decoder 120 sends the reference to the network address to a database management system 126, which looks up the corresponding network address in a database 128. In one implementation, the database management system executes on an Internet server at an IP address known to the watermark decoder. The watermark decoder establishes an Internet connection with the DBMS 126 and forwards the reference extracted from the watermark message, optionally with other information from the watermark or user. The DBMS uses the reference to look up a corresponding network address (URL or IP address) of the registration website. It then either returns the network address of the registration web site to the watermark decoder or routes an HTTP request to the registration web site along with the user's IP address, which in turn, forwards a registration web page to the user's

computer using the IP address of the user's computer. In the case where the DBMS returns the network address to the user's computer for re-direction, the decoder program uses the address to establish an Internet connection with the registration web site.

3. Now, in addition to having the URL for this serial number, the serial number found on the "identity" card is also used to identify the user's company (the one assigned to this card) obviating the need for a username prompt at all. This serial number along with additional information embedded in the watermark on the card may be used to authenticate the user and personalize the registration process to that user. For example, the HTML interface presented to the user by the registration web site may be personalized for the user based on the embedded watermark information in the user's card or information linked to the embedded information. The registration web site may be personalized by showing the user status information for previous registration transactions, and batch embedding projects.

Additional information in the database 128 may be used to authenticate the user or personalize the registration process. For example, the database entry found by looking up the reference may include user information that identifies the user or his or her organization to the registration web site. This information may be re-directed directly to the registration web site or indirectly by passing it back to the user's computer, which then forwards it to the registration web site.

4. Once re-directed to the registration web site, the user enters the appropriate password to complete authentication and proceeds with the registration process.

Applications

There a number of applications where many different identifiers need to assigned to media objects, or different behaviors need to be assigned to the same or related media objects. One such application is where an entity would like to personalize the behavior associated with media objects. In particular, the customer seeking to embed large

numbers of media objects would like to personalize the behavior associated with the media objects to particular individuals.

In the print media industry, one such example is to mark a page of a printed object, such as a phone directory, direct mail piece, magazine, etc., that includes a watermark with a behavior that is uniquely associated with an individual.

There are at least two different approaches to implement this functionality using the system described above. One approach is to assign different identifiers to each individual, and assign user specific behavior with each of these identifiers. For example, the embedding entity, such as a printer or publisher, could assign a different URL to fetch a different web page for each identifier. Another approach is to assign different identifiers to each individual, and include a unique index in the behavior description. In this second approach, the embedding entity could decide to associate the same URL with each of these identifiers, but then specify that the database forward the unique index in response to a decoding operation on the identifier. The web server at the specified URL to which the decoding client or registration database forwards a request then uses the unique index to perform a user-specific behavior, such as returning a user specific web page, or other content. In this second approach, the unique index enables the operator of the web server at the specified URL to determine which behaviors to associate with a particular index.

Here is how these two approaches operate:

1. An embedding entity requests many, many unique identifiers from the registration system for watermark embedding.
2. The embedding entity embeds these unique identifiers in each printed piece and distributes the watermarked objects.
3. The consumer uses a watermark decoder device (e.g., image watermark decoder software executing on a computer connected to an image capture device) to extract an identifier from individualized, watermarked object.
4. The watermark decoder reads the watermark, including the identifier, and forwards a request for the associated behavior (e.g., web address) to the registration

database via an internet connection between the decoder and database management server.

5. The database management server looks up the individualized behavior (e.g., web address (complete or with a unique index attached)) and returns it to the decoder device.

6. The decoder device performs the behavior (e.g., redirects the user to the supplied web address (the address now has enough information to uniquely identify the user)). To redirect the user, the decoder device sends the address to a web server at the supplied address, which then looks up a corresponding user-specific web page using the address and returns the web page to the decoder device for rendering. As an alternative, the database management server may send the address directly to the web server, along with the IP address of the decoder device. The web server, in turn, forwards a user specific web page to the decoder device at the specified IP address.

- The specific components involved in performing the behavior depend on the behavior and its implementation. The behavior may include launching a program on a server that interacts with a client module executing on the decoder device, such as an Internet browser that displays information from the server, an email client that sends an email via an email program on the server, and a media player that receives and renders media content (such as streaming audio or video) via a media object server.

7. The behavior is specific to the user because the identifier is associated with that user (e.g., the identifier is associated with a personalized web page that welcomes the user with user specific information).

- While the above example is directed to watermarked printed objects, the approach applies to other watermarked objects, including both electronic objects like video, image and audio files, and physical objects, like packaging, stickers, documents, etc. In addition, it applies to different behaviors beyond web linking and re-direction, such as multimedia content streaming, email personalization, etc.

An additional specific example may help to further illustrate the methods described above. In this example, an operator of an interactive web site allows user to connect to the interactive web site via a client, such as an Internet browser through a web interface, and specify preferences to create personalized products or services. In particular, the web site enables the user to design a product or service of a particular type by specifying various attributes of that item. For example, the product may be a house, with attributes such as a particular architecture, color, layout, square footage, etc. The web site acts as a powerful sales and marketing tool to promote products or services tailored to the users' tastes. The web site forwards specific information provided by users to a printer's computer system over the Internet, instructing the printer to print direct mail pieces for each product designed by the users. In particular, the web site forwards information entered by each user, such as their name, address, product type, product attributes (size, color, model, etc.), product options packages, etc. in a text delimited file.

Using the batch registration database via an Internet connection, the printer computer system registers a unique watermark identifier for each of these files. As part of the registration process, the printer also includes a unique URL or unique index code in the behavior description so that the watermark identifier maps to a personalized web page, such as a web page illustrating the detailed information about the product and its attributes selected by the user.

The printer, through its computer system connected to the Internet, invokes the services of the batch registration and embedding system to create embedder control files and embed the images to be printed on the personalized direct mail pieces. The printer computer system automatically selects the images to be printed on each direct mail piece based on the selections included in the text delimited file from the web site. For example, a particular house style with certain option packages may be associated with one image of a house, while another house is associated with different images.

Once embedded with the watermarks carrying the appropriate unique identifier, the printer proceeds to print the direct mail pieces. Variable printing technology, such as

variable offset printing, enables the printing of large batches of items, each with variable content. In the current example, variable offset printing is used to print direct mail pieces that includes images associated with the product type and option packages specified in the text delimited file created at the web site. After printing and mail delivery, the users that created product designs on the web site ultimately receive the direct mail pieces tailored to their product designs.

The direct mail pieces are watermark enabled. To connect to a personal web site related to the direct mail piece, the user shows the watermarked image to an image capture device connected to a computer running compatible watermark decoder software.

The watermark decoder extracts the unique identifier, sends it to the database via an Internet connection, and receives a URL and possibly a unique index code in return. The decoder then redirects the URL and index code to the web server at the specified URL on the Internet. The web server then uses the URL and index code (if necessary) to look up and return a personalized web page to the user's computer.

This example extends to many types of products and services that a user might shop for via an interactive web site that enables the user to specify attributes of the product or service.

Concluding Remarks

Having described and illustrated the principles of the technology with reference to specific implementations, it will be recognized that the technology can be implemented in many other, different, forms. To provide a comprehensive disclosure without unduly lengthening the specification, applicants incorporate by reference the patents and patent applications referenced above.

The methods, processes, and systems described above may be implemented in hardware, software or a combination of hardware and software. For example, the watermark embedding and decoding processes may be implemented in a programmable computer or a special purpose digital circuit. Similarly, watermark decoding may be implemented in software, firmware, hardware, or combinations of software, firmware and

hardware. The methods and processes described above may be implemented in programs executed from a system's memory (a computer readable medium, such as an electronic, optical or magnetic storage device).

- 5 The particular combinations of elements and features in the above-detailed embodiments are exemplary only; the interchanging and substitution of these teachings with other teachings in this and the incorporated-by-reference patents/applications are also contemplated.

09706505-10200

We claim:

1. A method of performing identifier registration comprising:
establishing a connection with a registration process;
providing authentication information to the registration process;
5 submitting a registration request to the registration process; and
receiving an embedder control file, including media signal identifiers and
embedder instructions.
- 10 2. The method of claim 1 including:
submitting the embedder control file to a watermark embedder, which
automatically embeds a set of media signal files with corresponding identifiers according
to the embedder instructions in the embedder control file.
- 15 3. The method of claim 1 wherein the registration process is executed at an
Internet server accessible via a web interface.
- 20 4. The method of claim 1 wherein the registration request is submitted from a
client computer to the registration process via an Internet communication protocol.
5. The method of claim 1 wherein the embedder control file is received from the
registration process via an Internet communication protocol.
- 25 6. The method of claim 1 wherein authentication information is provided in part
by extracting information from a watermark embedded in an identity card and providing
the extracted information to the registration process.
7. The method of claim 1 wherein a client computer establishes a connection with
the registration process by extracting information from a watermark on a physical object
and using that information to establish the connection.

8. The method of claim 7 wherein the watermark on the physical object includes a reference used to look up a network address of the registration process in a database management system.

5

9. The method of claim 8 wherein the database management system forwards information to the registration process to authenticate a user.

10. The method of claim 7 wherein the information on the physical object includes a network address of the registration process.

10

11. A computer readable medium having software for performing the method of claim 1.

15

12. A method of performing identifier registration comprising:
establishing a connection with a client process;
receiving authentication information from the client process to authenticate a user;
receiving a registration request from the client process;
allocating a set of identifiers to media signal files based on the registration request;

20

constructing an embedder control file, including media signal identifiers and embedder instructions; and
sending the embedder control file to the client process.

25

13. The method of claim 12 including:
creating database records corresponding to the set of identifiers and including in the database records media signal information associated with media signal files into which the identifiers are to be embedded.

15. A computer readable medium on which is stored software for performing the method of claim 12.

16. A watermark embedder operable to receive an embedder control file including a set of identifiers, embedder instructions and corresponding media signal files, and operable to automatically embed the identifiers in corresponding media signal files according to the embedder instructions.

17. A media signal identifier registration server comprising:
a network interface for receiving ID registration requests, the requests including a list of media signal files and information to be linked with the media signal files via data embedded in the media signal files;

a batch registration loader for creating records in a registration database corresponding to identifiers for each of the media signal files; and

a batch registration extractor for reading the registration database and creating an embedder control file, including identifiers, a corresponding list of media signal files, and embedding instructions for controlling embedding of the identifiers in the media signal files.

Batch Identifier Registration and Embedding in Media Signals

Abstract of the Disclosure

An automated batch identifier registration and embedding system for media signals, such as image, video and audio files. A batch identifier registration system enables a user to submit a request for a batch of unique identifiers to be embedded in media signals. The user submits a request for a batch of IDs. The batch registration system verifies the accuracy of the request, sends a confirmation, allocates IDs, creates corresponding entries in a registration database, and creates embedder files used in a batch embedding process. The user may then submit a request for embedder files. To perform automated batch embedding, a watermark embedder takes the embedder files and corresponding list of media signal files as input and automatically embeds identifiers supplied in the embedder files into corresponding media signal files.

09706505-1103000





Fig. 1



COMBINED DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name, I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled BATCH IDENTIFIER REGISTRATION AND EMBEDDING IN MEDIA SIGNALS, the specification of which

[x] is attached hereto.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56. If this is a continuation-in-part application filed under the conditions specified in 35 U.S.C. § 120 which discloses and claims subject matter in addition to that disclosed in the prior copending application, I further acknowledge the duty to disclose material information as defined in 37 CFR § 1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of the continuation-in-part application.

I hereby claim foreign priority benefits under Title 35, United States Code, § 119(a)-(d) of any foreign application(s) for patent or inventor's certificate or of any PCT International application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT International application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) on which priority is claimed:

Prior Foreign Application(s)

Priority
Claimed

(Number)

(Country)

(Day/Month/Year Filed)

☐ Yes

[]
No

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below:

Application Number

Filing Date

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) or § 365(c) of any PCT International application(s) designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56(a) which occurred between the filing date of the prior application and the national or PCT International filing date of this application:

(Application No.)

(Filing Date)

(Status: patented,
Pending, abandoned)

The undersigned hereby authorizes the U.S. attorney or agent named herein to accept and follow instructions from _____ as to any action to be taken in the Patent and Trademark Office regarding

this application without direct communication between the U.S. attorney or agent and the undersigned. In the event of a change in the persons from whom instructions may be taken, the U.S. attorney or agent named herein will be so notified by the undersigned.

I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application, to file a corresponding international application, and to transact all business in the Patent and Trademark Office connected therewith:

William Y. Conwell	Reg. No. 31,943
Joel R. Meyer	Reg. No. 37,677
Thomas M. Horgan	Reg. No. 33,183
Elmer Galbi	Reg. No. 19,761

Address all telephone calls to Joel R. Meyer at telephone number (503) 885-9699.
Address all correspondence to:

Joel R. Meyer
DIGIMARC Corporation
Digimarc Corporation
19801 SW 72nd Avenue, Suite 250
Tualatin, OR 97062

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name of Sole or First Joint Inventor: William C. Hein, III

Inventor's Signature _____

Date

Residence: Glenmoore, Pennsylvania

Citizenship: U.S.A.

Post Office Address: 151 Indiantown Road, Glenmoore, PA 19343-1412

Full Name of Second Joint Inventor: Tyler J. McKinley

Inventor's Signature _____

Date

Residence: Lake Oswego, Oregon

Citizenship: USA

Post Office Address: 17020 SW Tracy Avenue, Lake Oswego, OR 97035